

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**Paper No.:040606**

**DATE** : April 6, 2006

**TO SPE OF** : ART UNIT 0838

**SUBJECT** : Request for Certificate of Correction on Patent No.: 6,898,092

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within **7** days to:

**Certificates of Correction Branch - PK 3-910**

Palm location **7590** - Tel. No. 305-8201

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

**Thank You For Your Assistance**

**Certificates of Correction Branch**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

**Comments:**

**KARL EASTHOM**  
**SUPERVISORY PATENT EXAMINER**

  
**SPE: Karl Easthom**

**Art Unit 2838**

Staple  
Here  
Only

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,898,092  
DATED : MAY 24, 2005  
INVENTOR(S) : MICHAEL BRIERE, JEFFREY GORDON DUMAS AND BISHARA TAHHAN

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

Under References Cited, Other Publications, L.E. LaWhite and M.F. Schlecht publication, replace "Rippel" with --Ripple--

In the Drawings:

Figure 1, "I<sub>M</sub>" should be replaced with --I<sub>IN</sub>--

In the Specification:

Column 6, line 54, "ratio  $N_P/N_T$ " should be replaced with --ratio  $N_T/N_P$ --

Column 8, Line 43, "device L1" should be replaced with --device L--

In the Claims:

Column 10, Line 18, "negative lines" should be replaced with --negative line--

MAILING ADDRESS OF SENDER:

David L. Feigenbaum  
Fish & Richardson P.C.  
225 Franklin Street  
Boston, MA 02110

PATENT NO. 6,898,092

No. of add'l copies  
\_\_\_\_\_

MAR 28 2006